

NOMENCLATURE DES LAMPES FLUORESCENTES

T8	OSRAM		PHILIPS		SYLVANIA				
	K	Standard	Haut rendement	Standard	Haut rendement	Standard	Haut rendement		
T° de couleur	2700		L 10 W/41 L 15 W/41 L 16 W/41 L 18 W/41 L 30 W/41 L 36 W/41-827-1 L 36 W/41 L 58 W/41		TLD 15W 827 TLD 18W 827 TLD 30W 827 TLD 36W 827 TLD 58W 827		F 15W 827 F 18W 827 F 30W 827 F 36W 827 F 58W 827		
		2900			TLD 18W 129 TLD 30W 129 TLD 36W 129 TLD 58W 129				
			3000		L 15 W/31 L 18 W/31 L 30 W/31		TLD 15W 830 TLD 18W 830 TLD 30W 830 TLD 36W 1M 830 TLD 36W 830 TLD 58W 830	F 18W 129 F 30W 129 F 36W 129 F 58W 129	F 15W 830 F 18W 830 F 30W 830 F 36W 830 F 58W 830
					L 18 W/30 L 30 W/30 L 36 W/30 L 58 W/30	L 15 W/21 L 18 W/21 L 16 W/21 L 18 W/21 L 30 W/21 L 36 W/21-840-1 L 36 W/21 L 38 W/21 L 58 W/21		TLD 15W 840 TLD 18W 840 TLD 30W 840 TLD 36W 1M 840 TLD 36W 840 TLD 58W 840	F 18 W/125 F 36 W/125 F 58 W/125
		4100				TLD 14W 133 TLD 15W 133 TLD 18W 133 TLD 30W 133 TLD 36W 1M 133 TLD 36W 133 TLD 58W 133			
			4300		L 18 W/20			F 14W 133 F 15W 133 F 18W 133 F 25W 28" 133 F 25W 30" 133 F 25W 33" 133 F 30W 133 F 36W 133 F 58W 133	
				L 30 W/20 L 36 W/20 L 58 W/20					
	6000							F 18W 860 F 30W 860 F 36W 860 F 58W 860	
		6100		L 15 W/11 L 18 W/11					
				L 18 W/10 L 30 W/10 L 36 W/10 L 58 W/10	L 15 W/11 L 18 W/11 L 30 W/11 L 36 W/11 L 58 W/11				
	6200				F 15W 154 F 18W 154 TLD 30W 154 TLD 36W 154 TLD 58W 154				
		6500				TLD 18W 865	F 14W 154 F 15W 154 F 18W 154 F 25W 33" 154		
					TLD 30W 865 TLD 36W 865 TLD 58W 865	F 30W 154 F 36W 154 F 58W 154			

Héliophane sarl



Le Prieuré
2, rue de la mairie
F88600 AYDOILLES

4, montée de Voulat
F42000 SAINT ETIENNE



courrier@heliophane.com

TECHNIQUE

NOMENCLATURE DES LAMPES FLUORESCENTES

T8		OSRAM		PHILIPS		SYLVANIA	
IRC > 95							
K	Haute définition			Haute définition		Haute définition	
2700				TLD 18W 927			
				TLD 36W 927			
3000	L 15 W/32			TLD 58W 927			
	L 16 W/32						
	L 18 W/32			TLD 18W 930			
	L 30 W/32						
	L 36 W/32			TLD 36W 930			
	L 58 W/32			TLD 58W 930			
3800	L 18 W/22			TLD 18W 940			
	L 36 W/22			TLD 36W 940			
5300	L 58 W/22			TLD 58W 940			
				TLD 18W 950			
5400	L 15 W/12			TLD 36W 950			
	L 18 W/12			TLD 58W 950			
6500	L 36 W/12-950-1						
	L 36 W/12						
	L 58 W/12						
	L 15 W/72 "BIOLUX"			TLD 18W 965		F 18W 172 "ACTIVA"	
6500	L 18 W/72 "BIOLUX"						
	L 30 W/72 "BIOLUX"						
	L 36 W/72 "BIOLUX"			TLD 36W 965		F 36W 172 "ACTIVA"	
	L 58 W/72 "BIOLUX"			TLD 58W 965		F 58W 172 "ACTIVA"	



CIRCLINE		OSRAM		PHILIPS		SYLVANIA		
K	Standard	Haut rendement 16 mm		Standard	Haut rendement	Standard	Haut rendement	
2700	L 22 W/41 C				TLE 32W 827			
	L 22 W/41 C				TLE 40W 827			
3000			FC 22 W/830					
			FC 40 W/830					
			FC 55 W/830					
4000	L 22 W/25 C	L 22 W/11 C	FC 22 W/840					
	L 22 W/25 C	L 22 W/21 C	FC 40 W/840					
	L 40 W/25 C	L 40 W/21 C	FC 55 W/840					
4100					TLE 32W 133			
					TLE 40W 133			
4300							FC8 T9 CW/133	
							FC12 T10 CW/133	
							FC16 T10 CW/133	
							FC8 T9 D/154	
6500							FC12 T10 D/154	
							FC16 T10 D/154	



Héliophane sarl

Le Prieuré
2, rue de la mairie
F88600 AYDOILLES

4, montée de Voulat
F42000 SAINT ETIENNE



courrier@heliophane.com

TECHNIQUE

NOMENCLATURE DES LAMPES FLUORESCENTES

T5		OSRAM		PHILIPS		SYLVANIA	
K	Standard	Haut rendement	Standard	Haut rendement	Standard	Haut rendement	
2700		L 8W/21-827 L 13W/21-827		TL 8W 827 TL 13W 827			
	L 6W/30		TL 8W 29	TL 8W 830	F6W WW F8W WW		
3000	L 13W/30		TL 13W 29	TL 13W 830	F13W WW		
	L 4W/20 L 6W/20		TL 4W 33 TL 6W 33		F4W CW F6W CW		
4000	L 8W/20 L 13W/20		TL 8W 33 TL 13W 33	TL 8W 840 TL 13W 840	F8W CW F13W CW	F8W CWX 840	
			TL 4W 54		F4W D F6W D		
6500			TL 8W 54 TL 13W 54		F8W D F13W D		

TL5		OSRAM		PHILIPS		SYLVANIA	
K	Haute efficacité FH	Haute puissance FQ	Haute efficacité HE	Haute puissance HO	Haute efficacité FHE	Haute puissance FHO	
2700			TL5 14W 827 HE TL5 21W 827 HE TL5 28W 827 HE TL5 35W 827 HE				
	FH 14 W/830 FH 21 W/830		TL5 14W 830 HE TL5 21W 830 HE		FHE 14W 830 FHE 21W 830		
3000	FH 28 W/830 FH 35 W/830	FH 24 W/830	TL5 28W 830 HE TL5 35W 830 HE	TL5 24W 830 HO	FHE 28W 830 FHE 35W 830	FHO 24W 830	
		FH 39 W/830 FH 54 W/830 FH 80 W/830		TL5 39W 830 HO TL5 49W 830 HO TL5 54W 830 HO		FHO 39W 830 FHO 49W 830 FHO 54W 830	
4000	FH 14 W/840 FH 21 W/840		TL5 14W 840 HE TL5 21W 840 HE		FHE 14W 840 FHE 21W 840		
	FH 28 W/840 FH 35 W/840	FH 24 W/840	TL5 28W 840 HE TL5 35W 840 HE	TL5 24W 840 HO	FHE 28W 840 FHE 35W 840	FHO 24W 840	
6000		FH 39 W/840 FH 54 W/840 FH 80 W/840		TL5 39W 840 HO TL5 49W 840 HO TL5 54W 840 HO		FHO 39W 840 FHO 49W 840 FHO 54W 840	
	FH 14 W/860 FH 21 W/860	FH 24 W/860					
6500	FH 28 W/860 FH 35 W/860	FH 39 W/860 FH 54 W/860 FH 80 W/860					
			TL5 14W 865 HE TL5 21W 865 HE		FHE 14W 860 FHE 21W 860	FHO 24W 860	
			TL5 28W 865 HE TL5 35W 865 HE		FHE 28W 860 FHE 35W 860	FHO 39W 860 FHO 49W 860 FHO 54W 860	

T° de couleur

Héliophane sarl



Le Prieuré
2, rue de la mairie
F88600 AYDOILLES

4, montée de Voulat
F42000 SAINT ETIENNE



courrier@heliophane.com

TECHNIQUE

NOMENCLATURE DES LAMPES FLUORESCENTES

T12	OSRAM		PHILIPS	SYLVANIA		
	K	S (RS)	SA (IRS)	RS	IRS	
T° de couleur	2700				F 20 T12 WW IRS F 40 T12 WW IRS F 65 T12 WW IRS	
		4000		L 20W/28 SA L 40W/28 SA L 65W/28 SA	F 40 T12 CWX IRS	
			4300		L 20W/20 SA L 40W/20 SA L 65W/20 SA	F 20 T12 CW RS F 40 T12 CW RS F 65 T12 CW RS
	6100			L 20W/10 S L 40W/10 S L 65W/10 S		
		6500				F 40 T12 D RS F 65 T12 D RS



Héliophane sarl

Le Prieuré
2, rue de la mairie
F88600 AYDOILLES

4, montée de Voulat
F42000 SAINT ETIENNE



courrier@heliophane.com

TECHNIQUE